

CLASSIFICATION CONFIDENTIAL
 CENTRAL INTELLIGENCE AGENCY
 INFORMATION FROM
 FOREIGN DOCUMENTS OR RADIO BROADCASTS CD NO.

50X1-HUM

COUNTRY USSR
 SUBJECT Scientific - Radio-wave propagation
 HOW PUBLISHED Monthly periodical
 WHERE PUBLISHED USSR
 DATE PUBLISHED Nov 1949
 LANGUAGE Russian

DATE OF INFORMATION 1949

DATE DIST. 28 Feb 1950

NO. OF PAGES 1

SUPPLEMENT TO REPORT NO.

THIS DOCUMENT CONTAINS INFORMATION AFFECTING THE NATIONAL DEFENSE OF THE UNITED STATES WITHIN THE MEANING OF ESPIONAGE ACT 50 U. S. C. 31 AND 32 AS AMENDED. ITS TRANSMISSION OR THE REVELATION OF ITS CONTENTS IN ANY MANNER TO AN UNAUTHORIZED PERSON IS PROHIBITED BY LAW. REPRODUCTION OF THIS FORM IS PROHIBITED.

THIS IS UNEVALUATED INFORMATION

SOURCE

Vestnik Akademii Nauk SSSR, No 11, 1949.

THE PROBLEM OF WAVE PROPAGATION IN LAMINAR MEDIA

Among the papers presented at the session of the Department of Physico-mathematical Sciences held on 26 September at the Moscow Order of Lenin State University imeni V. M. Molotov was "A New Method of Solving the Problem of the Field of a Point Radiator in a Laminar-Nonhomogeneous Medium" by L. M. Brekhovskikh, Doctor of Physicomathematical Sciences. A summary of his presentation follows:

The problem of wave propagation in laminar media arises in the study of the propagation of sound or radio waves in the atmosphere or sea, where the properties vary with depth. In both cases the nonhomogeneity of media causes the formation of so-called wave guides in the atmosphere or sea, by which energy can be transmitted thousands of miles. In his new method of solving the problem of wave propagation in such media, Brekhovskikh resolves spherical waves into plane waves and then studies the behavior of each of the plane waves separately. He finds the coefficient of reflection of plane waves from a laminar medium without use of the wave equation. The solution of the coefficient involves the Ricatti equation, solvable by successive approximations. Brekhovskikh represents the radiator in the form of an integral of a certain path in a complex plane of angles which characterize the direction of propagation of the plane waves. This integral is analyzed according to well-known methods in the theory of complex variables.

As a result, the sound potential of acoustics or the vertical component vector of Hertz in the electromagnetic case are given by a collection of waves, each propagating itself with its own velocity (discrete spectrum), and by two lateral waves. The damping and speed of propagation of these waves in the discrete spectrum are then determined. These lateral waves play an important role at great distances.

- E N D -

50X1-HUM

CONFIDENTIAL

- 1 -

CLASSIFICATION		CONFIDENTIAL	
STATE	<input checked="" type="checkbox"/> NAVY	<input checked="" type="checkbox"/> NSRB	DISTRIBUTION
ARMY	<input checked="" type="checkbox"/> AIR	<input checked="" type="checkbox"/> FBI	